

DOSSERT® TYPE GCHV-AA Cable Grounding Clamp




Designed to de-energize cable for maintenance.

Material

Aluminum Alloy

Hardware

Yellow anodized aluminum bolts, nuts, and lockwashers.



Ordering Information

CATALOG NUMBER	CABLE RANGE		DIMENSIONS			
	MIN	MAX	A	B	L	W
GCHV-40-62R-AA	1/0 STR	400 MCM	4 11/16	1 1/2	5 13/16	2 1/4
GCHV-159A-62R-AA	477 MCM	1590 ACSR	5 1/8	2	6 3/4	3 1/4
GCHV-287A-62R-AA	1780 ACSR	2870 ACSR	5 3/8	2	7 1/4	3 3/4

DOSSERT® TYPE GPH-AA Ground Clamp

Designed to de-energize bus tube for maintenance. Stud is designed with tee shape for use on different bus sizes.

Material

Aluminum Alloy

Hardware

Aluminum bolts, nuts, and lockwashers.




FIGURE 1




FIGURE 2

Ordering Information

CATALOG NO.	FIGURE NO.	SPS	DIMENSIONS				BOLT SIZE
			A	L	T	W	
GPH150-AA	1	1 1/2	2	6 9/16	1 1/4	3 11/16	1/2
GPH200-AA	1	2	2	7 1/4	1 1/4	4 5/16	1/2
GPH250-AA	1	2 1/2	2	7 9/16	1 1/4	4 3/4	1/2
GPH300-AA	1	3	2	8 1/4	1 1/4	5 3/8	1/2
GPH350-AA	1	3 1/2	2	8 15/16	1 1/4	5 7/8	1/2
GPH400-AA	1	4	2	9 1/4	1 1/4	6 3/8	1/2
GPH500-AA	2	5	3 3/4	13 3/4	3/4	7 11/16	5/8
GPH600-AA	2	6	4	14 11/16	3/4	8 3/4	5/8

DOSSERT® TYPE GPH-N-AA

Terminal pad to grounding stud.

Material

Aluminum Alloy

Note

Other pad configurations can be ordered by contacting Customer Service.






FIG. 1




FIG. 2

Ordering Information

CATALOG NUMBER	FIGURE NUMBER	DIMENSIONS				
		D	L	T	X	Y
GPH-2N-AA	1	1 1/4	8 5/8	1/2	—	—
GPH-4N-AA	2	1 3/4	9 1/8	3/4	3	5/8
GPH-4N4-AA	2	1 3/4	10 1/8	3/4	4	1 1/8