

TYPE SWC-AA Swage Bus Coupler



A Swage type bus coupler.

Material

Aluminum Alloy

Notes

- Bore will be lined with AFL Filler compound (AFC) and capped.
- 5" and 6" S.P.S. parts require double swages.



Ordering Information

AFL NO.	S.P.S.	DIMENSIONS IN INCHES	DIE SIZE	VOLTAGE RATING (kV)
		A		
SWC100-AA	1	6.00	65TD100	230
SWC150-AA	1.5	6.00	65TD150	230
SWC200-AA	2	6.00	65TD200	230
SWC250-AA	2.5	6.00	65TD250	230
SWC300-AA	3	7.25	65TD300	500
SWC350-AA	3.5	8.25	65TD350	500
SWC400-AA	4	9.25	65TD400	500
SWC500-AA	5	13.00	85TD500	500
SWC600-AA	6	15.00	115TD600	500

TYPE SWCL-AA Swage Bus to Bus Long Splice



A double Swage type bus to bus long splice.

Material

Aluminum Alloy

Notes

- Bore will be lined with AFL Filler compound (AFC) and capped.



Ordering Information

AFL NO.	S.P.S.	DIMENSIONS IN INCHES	DIE SIZE	VOLTAGE RATING (kV)
		A		
SWCL100-AA	1	10.00	65TD100	230
SWCL150-AA	1.5	10.00	65TD150	230
SWCL200-AA	2	10.00	65TD200	230
SWCL250-AA	2.5	10.00	65TD250	230
SWCL300-AA	3	12.00	65TD300	500
SWCL350-AA	3.5	12.00	65TD350	500
SWCL400-AA	4	12.00	65TD400	500
SWCL500-AA	5	17.00	85TD500	500
SWCL600-AA	6	19.00	115TD600	500

TYPE SWCR-AA Swage Bus Reducer Splice


A Swage type reducer splice for bus.

Material

Aluminum Alloy

Notes

- Bore will be lined with AFL Filler compound (AFC) and capped.
- 5" and 6" S.P.S. parts require double swages.



Ordering Information

AFL NO.	S.P.S.		DIMENSIONS IN INCHES	DIE SIZE		VOLTAGE RATING (kV)
	TAP 1	TAP 2		TAP 1	TAP 2	
SWCR150-100-AA	1.5	1	6.38	65TD150	65TD100	230
SWCR200-150-AA	2	1.5	6.88	65TD200	65TD150	230
SWCR250-200-AA	2.5	2	7.25	65TD250	65TD200	230
SWCR300-150-AA	3	1.5	8.00	65TD300	65TD150	230
SWCR300-200-AA	3	2	8.00	65TD300	65TD200	230
SWCR300-250-AA	3	2.5	8.00	65TD300	65TD250	230
SWCR350-300-AA	3.5	3	8.13	65TD350	65TD300	500
SWCR400-200-AA	4	2	8.38	65TD400	65TD200	230
SWCR400-250-AA	4	2.5	8.38	65TD400	65TD250	230
SWCR400-300-AA	4	3	8.38	65TD400	65TD300	500
SWCR400-350-AA	4	3.5	8.38	65TD400	65TD350	500
SWCR500-200-AA	5	2	10.97	85TD500	65TD200	500
SWCR500-250-AA	5	2.5	10.97	85TD500	65TD250	500
SWCR500-300-AA	5	3	10.97	85TD500	65TD300	500
SWCR500-350-AA	5	3.5	10.97	85TD500	65TD350	500
SWCR500-400-AA	5	4	10.97	85TD500	65TD400	500
SWCR600-200-AA	6	2	11.73	115TD600	65TD200	500
SWCR600-250-AA	6	2.5	11.73	115TD600	65TD250	500
SWCR600-300-AA	6	3	11.73	115TD600	65TD300	500
SWCR600-350-AA	6	3.5	11.73	115TD600	65TD350	500
SWCR600-400-AA	6	4	11.73	115TD600	65TD400	500
SWCR600-500-AA	6	5	13.73	115TD600	85TD500	500

TYPE SWEP-AA Swage Bus Elbow



A Swage type elbow bus.

Material

Aluminum Alloy

Notes

- Bore will be lined with AFL Filler compound (AFC) and capped.
- 5" and 6" S.P.S. parts require double swages.



Ordering Information

AFL NO.	S.P.S.	DIMENSIONS IN INCHES		DIE SIZE
		A	B	
SWEP100-AA	1	4.50	90	65TD100
SWEP100-30-AA	1	3.50	30	65TD100
SWEP100-45-AA	1	3.50	45	65TD100
SWEP100-60-AA	1	4.00	60	65TD100
SWEP100-75-AA	1	4.50	75	65TD100
SWEP150-AA	1.5	5.00	90	65TD150
SWEP150-30-AA	1.5	3.50	30	65TD150
SWEP150-45-AA	1.5	4.00	45	65TD150
SWEP150-60-AA	1.5	4.00	60	65TD150
SWEP150-75-AA	1.5	5.00	75	65TD150
SWEP200-AA	2	5.50	90	65TD200
SWEP200-30-AA	2	4.00	30	65TD200
SWEP200-45-AA	2	4.50	45	65TD200
SWEP200-60-AA	2	5.00	60	65TD200
SWEP200-75-AA	2	5.50	75	65TD200
SWEP250-AA	2.5	6.00	90	65TD250
SWEP250-30-AA	2.5	4.50	30	65TD250
SWEP250-45-AA	2.5	5.00	45	65TD250
SWEP250-60-AA	2.5	5.50	60	65TD250
SWEP250-75-AA	2.5	6.00	75	65TD250
SWEP300-AA	3	8.00	90	65TD300
SWEP300-15-AA	3	5.50	15	65TD300
SWEP300-30-AA	3	5.50	30	65TD300
SWEP300-45-AA	3	6.00	45	65TD300
SWEP300-60-AA	3	6.50	60	65TD300

AFL NO.	S.P.S.	DIMENSIONS IN INCHES		DIE SIZE
		A	B	
SWEP300-75-AA	3	8.00	75	65TD300
SWEP350-AA	3.5	8.00	90	65TD350
SWEP350-30-AA	3.5	6.00	30	65TD350
SWEP350-45-AA	3.5	6.00	45	65TD350
SWEP350-60-AA	3.5	7.00	60	65TD350
SWEP350-75-AA	3.5	8.00	75	65TD350
SWEP400-AA	4	8.50	90	65TD400
SWEP400-15-AA	4	6.00	15	65TD400
SWEP400-30-AA	4	6.00	30	65TD400
SWEP400-45-AA	4	6.50	45	65TD400
SWEP400-60-AA	4	7.00	60	65TD400
SWEP400-70-AA	4	8.50	70	65TD400
SWEP400-75-AA	4	8.50	75	65TD400
SWEP500-AA	5	11.50	90	85TD500
SWEP500-30-AA	5	8.50	30	85TD500
SWEP500-45-AA	5	9.00	45	85TD500
SWEP500-60-AA	5	10.00	60	85TD500
SWEP500-75-AA	5	11.50	75	85TD500
SWEP600-AA	6	13.50	90	115TD600
SWEP600-15-AA	6	10.00	15	115TD600
SWEP600-30-AA	6	10.00	30	115TD600
SWEP600-45-AA	6	11.00	45	115TD600
SWEP600-60-AA	6	12.00	60	115TD600
SWEP600-75-AA	6	13.50	75	115TD600

TYPE SWEP-V-AA

Swage High Voltage Bus Elbow


A Swage type elbow bus for use in high-voltage applications.

Material

Aluminum Alloy

Notes

- Bore will be lined with AFL Filler compound (AFC) and capped.
- 5" and 6" S.P.S. parts require double swages.



Ordering Information

AFL NO.	S.P.S.	DIMENSIONS IN INCHES		DIE SIZE
		A	B	
SWEP300-V-AA	3	3.90	90	65TD300
SWEP300-30-V-AA	3	3.90	30	65TD300
SWEP300-45-V-AA	3	3.90	45	65TD300
SWEP300-60-V-AA	3	3.90	60	65TD300
SWEP350-V-AA	3.5	3.97	90	65TD350
SWEP350-30-V-AA	3.5	3.97	30	65TD350
SWEP350-45-V-AA	3.5	3.97	45	65TD350
SWEP350-60-V-AA	3.5	3.97	60	65TD350
SWEP400-V-AA	4	3.97	90	65TD400
SWEP400-30-V-AA	4	3.97	30	65TD400
SWEP400-45-V-AA	4	3.97	45	65TD400
SWEP400-60-V-AA	4	3.97	60	65TD400
SWEP500-V-AA	5	6.16	90	85TD500
SWEP500-15-V-AA	5	6.16	15	85TD500
SWEP500-20-V-AA	5	6.16	20	85TD500
SWEP500-22-V-AA	5	6.16	22	85TD500
SWEP500-30-V-AA	5	6.16	30	85TD500
SWEP500-45-V-AA	5	6.16	45	85TD500
SWEP500-60-V-AA	5	6.16	60	85TD500
SWEP600-V-AA	6	7.15	90	115TD600
SWEP600-30-V-AA	6	7.15	30	115TD600
SWEP600-45-V-AA	6	7.15	45	115TD600
SWEP600-60-V-AA	6	7.15	60	115TD600