


ITEM NO

DWG NO

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



MATERIAL

JAW & BODY

FORGED ALLOY STEEL #8630

JAW BOLT #4140

HOT DIP GALVANIZED

ULTIMATE LOAD - 45,195 LBS

PROOF LOAD - 18,078 LBS

WORKING LOAD - 9,039 LBS

DESIGN (SAFETY FACTOR) - 5.0

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
BH
DRN DATE:
9-29-09
CHK BY:

CHK DATE:

AFL

DOSSERT®

TURNBUCKLE, JAW TO JAW

REV
0



0602-012-03

1 OF 1

ITEM NO

DWG NO

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



MATERIAL (PRELIMINARY)

ALUMINUM BRONZE

ULTIMATE BREAKING STRENGTH - 10,000 LBS

MAXIMUM WORKING LOAD - 5000 LBS

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
BH
DRN DATE:
10-14-09
CHK BY:

CHK DATE:

FAFL

DOSSERT®

CLEVIS, FITTING, .75 X .97 THROAT X .50 DIA PIN

REV
0


CLE-625-01

1 OF 1

ITEM NO

DWG NO

D-8058



ULTIMATE LOAD: 36,000 LBS
WORKING LOAD: 7,200 LBS

MATERIAL
GALVANIZED STEEL (EYE BOLT & NUT)

1.8 LB

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
2	REDRAWN IN INVENTOR	5-11-10	NF	EP

DRN BY:
BB
DRN DATE:
1-10-05
CHK BY:
-
CHK DATE:
-

FAFL**DOSSERT®**

DROP FORGED EYE BOLT

REV
2

DFEB75-6



1 OF 1

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



MATERIAL
PVC

0.20 LB

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
NF
DRN DATE:
5-3-10
CHK BY:
EP
CHK DATE:
5-3-10

F AFL

DOSSERT®

CAP, EXT, PLASTIC SEAL, 2" IPS

REV
0

ESC200


1 OF 1

ITEM NO

DWG NO

D-7204

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



MATERIAL
SILICON BRONZE

5.5 LB

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
1	REDRAWN IN INVENTOR	4-28-10	NF	EP

DRN BY:
BB
DRN DATE:
8-12-92
CHK BY:
JS
CHK DATE:
8-12-92

ROD, SILICON BRONZE, .560 DIA, 6' LENGTH

REV
1


EVR56-6

1 OF 1

ITEM NO

DWG NO

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.





MATERIAL (PRELIMINARY)
 ALUMINUM BRONZE
 ULTIMATE BREAKING STRENGTH - 10,000 LBS
 MAXIMUM WORKING LOAD - 5000 LBS

SCALE 1 : 1

LOCATION					CONTRACT NO		CUST / CONTR	
REVISIONS					DRN BY: BH DRN DATE: 10-14-09 CHK BY: CHK DATE:	  EYE, FITTING, 1.06 X .75 X .50 DIA		
REV	DESCRIPTION	DATE	BY	APR		REV	EYE-625-01	1 OF 1

ITEM NO

DWG NO
D-7203

ROPE DIA.	CATALOG NO.	B	C	D	E	F	L	P	W
1/4	G414-1/4	1 5/8	7/8	9/32	13/32	1/16	2 3/16	13/16	1 1/2
3/8	G414-3/8	2 1/8	1 1/8	13/32	5/8	7/64	2 7/8	1 1/16	2 1/8
7/16	G414-7/16	2 3/8	1 1/4	15/32	23/32	1/8	3 1/4	1 3/16	2 3/8
1/2	G414-1/2	2 3/4	1 1/2	17/32	13/16	9/64	3 5/8	1 7/16	2 3/4
9/16	G414-9/16	2 3/4	1 1/2	19/32	7/8	9/64	3 5/8	1 7/16	2 11/16
5/8	G414-5/8	3 1/4	1 3/4	21/32	31/32	5/32	4 1/4	1 5/8	3 1/8
3/4	G414-3/4	3 3/4	2	25/32	1 7/32	7/32	5	1 7/8	3 13/16
7/8	G414-7/8	4 1/4	2 1/4	15/16	1 3/8	7/32	5 1/2	2	4 1/4

MATERIAL

GALVANIZED STEEL ASTM 153

(FOR STAINLESS STEEL, ADD "SS" TO CATALOG NO. EXAMPLE: G414-1/2 SS)

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
4	REDRAWN IN INVENTOR	5-11-10	NF	EP

 DRN BY:
BB
 DRN DATE:
8-12-92
 CHK BY:
JS
 CHK DATE:
8-12-92
FAFL**DOSSERT®**

WIRE ROPE THIMBLE

G414 SERIES

1 OF 1


THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO

D-6972

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



MATERIAL

BOW: GALV. STEEL 8630

BOLT: 4140 PAINTED RED

ULTIMATE LOAD = 94,050 LBS

WORKING LOAD LIMIT = 20,900 LBS

REF. CROSBY # G5550643

DESIGN (SAFETY) FACTOR = 4.5

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
5	RE-DRAWN IN INVENTOR	10/6/09	BH	EP

DRN BY:
B.BRICK
DRN DATE:
3/31/06
CHK BY:

CHK DATE:

AFL
DOSSERT®

SHACKLE, ANCHOR 7/8

REV
5



G2140-.875

1 OF 1

ITEM NO

DWG NO

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



MATERIAL
COMMERCIAL BRONZE #314

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
BH
DRN DATE:
10-15-09
CHK BY:

CHK DATE:

REV
0**FAFL****DOSSERT®**

TRUNION, SUSPENSION, END

HA44-CR-END


1 OF 1

ITEM NO

DWG NO

D-8173

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



CAT NO	AMTRAK REF	"A"	"B"	"C"
HGCB-BB-3	BB-3	2 1/8	3/8	
HGCB-BB-4	BB-4	1 5/8	7/16	1 3/16
HGCB-BB-22	BB-22	1 7/8	3/8	1 1/2
HGCB-BB-29	BB-29	3 3/8	3/8	
HGCB-BB-30	BB-30	1 1/4	3/8	
HGCB-BB-31	BB-31	1 3/8	3/8	
HGCB-BB-32	BB-32	2	3/8	
HGCB-BB-33	BB-33	2 1/2	3/8	
HGCB-BB-34	BB-34	1 1/2	OMNI SLOT & NUT	

MATERIAL: BRONZE ASTMB-99



LOCATION					CONTRACT NO		CUST / CONTR	
REVISIONS					DRN BY: BB DRN DATE: 2/28/07 CHK BY: CHK DATE:	AFL DOSSERT®		
REV	DESCRIPTION	DATE	BY	APR				
1	RE-DRAWN IN INVENTOR	10/21/09	BH	EP				
						BOLT, CARRIAGE, BRONZE, 1/2" W/ HEX NUT		
					REV 1	HGCB-BB SERIES		1 OF 1

ITEM NO

DWG NO

D-5984

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



CAT NO	IPS	SCHEDULE	OD
ISC75	3/4	40	1 in
ISC75E	3/4	80	1 in
ISC100	1	40	1 1/4 in
ISC100E	1	80	1 1/4 in
ISC125	1 1/4	40	1 5/8 in
ISC125E	1 1/4	80	1 5/8 in
ISC150	1 1/2	40	1 7/8 in
ISC150E	1 1/2	80	1 7/8 in
ISC200	2	40	2 11/32 in
ISC200E	2	80	2 11/32 in
ISC200EX	2	120	2 11/32 in
ISC250	2 1/2	40	2 27/32 in
ISC250E	2 1/2	80	2 27/32 in

MATERIAL: PVC

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
1	RE-DRAWN IN INVENTOR	11-13-09	BH	EP

DRN BY:
ES
DRN DATE:
3-28-83
CHK BY:
JS
CHK DATE:
3-29-83

AFL

DOSSERT®

PLUG, IPS, INTERNAL, PLASTIC

REV
1

ISC-SERIES

1 OF 1


ITEM NO

DWG NO

D-8009

MATERIAL:

HARD DRAWN COPPER ALLOY



CAT NO	L
S125-50-50	1/2
S125-50-62	5/8
S125-50-75	3/4
S125-50-100	1
S125-50-125	1 1/4
S125-50-150	1 1/2
S125-50-162	1 5/8
S125-50-200	2
S125-50-237	2 3/8

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
1	RE-DRAWN IN INVENTOR	10-21-09	BH	EP

DRN BY:
ET
DRN DATE:
2-5-04
CHK BY:
MH
CHK DATE:
2-5-04

FAFL**DOSSERT®**

SPACER, COPPER BUS


REV
1

S125-50-SERIES

1 OF 1

ITEM NO

DWG NO



CATALOG NO.	A	B	C	D	E	F	ULTIMATE LOAD (LBS)
SH2130-1/2	2 5/16	13/16	3 9/32	5/8-11	1/2	1 5/16	24,000
SH2130-5/8	2 15/16	1 1/16	4 3/16	3/4-10	5/8	1 11/16	39,000
SH2130-3/4	3 1/2	1 1/4	4 31/32	7/8-9	3/4	2	57,000
SH2130-7/8	4 1/32	1 7/16	5 13/16	1-8	7/8	2 9/32	78,000

MATERIAL

BODY, NUT AND BOLT - GALVANIZED STEEL
COTTER PIN - STAINLESS STEEL

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
NF
DRN DATE:
6-24-10
CHK BY:
EP
CHK DATE:
6-24-10

FAFL**DOSSERT®**

SHACKLE, ANCHOR

REV
0



SH2130-SERIES

1 OF 1

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO



CATALOG NO.	A	B	C	D	E	ULTIMATE LOAD (LBS)
SH2150-S4	2 1/4	1	4 3/4	3/4-10	5/8	-
SH2150-1/2	1 13/16	13/16	3 1/32	5/8-11	1/2	24,000
SH2150-5/8	2 5/16	1 1/16	3 3/4	3/4-10	5/8	39,000
SH2150-3/4	2 3/4	1 1/4	4 17/32	7/8-9	3/4	57,000
SH2150-7/8	3 3/16	1 7/16	5 5/16	1-8	7/8	78,000
SH2150-1 1/4	4 17/32	2 1/32	7 1/2	1 3/8-6	1 1/4	144,000

MATERIAL

BODY, NUT AND BOLT - GALVANIZED STEEL
COTTER PIN - STAINLESS STEEL

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
NF
DRN DATE:
6-24-10
CHK BY:
EP
CHK DATE:
6-24-10

FAFL**DOSSERT®**

SHACKLE, CHAIN

REV
0

SH2150-SERIES


1 OF 1

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO

D-6370



CAT.No	PIPE CAT.No	IPS	SCH	L=LENGTH
SSA125-L	SP125-L	1-1/4	40	AS REQUIRED
SSA125E-L	SP125E-L	1-1/4	80	AS REQUIRED
SSA150-L	SP150-L	1-1/2	40	AS REQUIRED
SSA150E-L	SP150E-L	1-1/2	80	AS REQUIRED
SSA200-L	SP200-L	2	40	AS REQUIRED
SSA200E-L	SP200E-L	2	80	AS REQUIRED
SSA250-L	SP250-L	2-1/2	40	AS REQUIRED
SSA250E-L	SP250E-L	2-1/2	80	AS REQUIRED

NOTE:

TRIMMED ENDS OF TUBING WILL BE
COATED WITH THE COLD GALVANIZED
COMPOUND Z.R.C. (95% ZINC)

MATERIAL:

STEEL PIPE ASTM A53 OR
A106 GRADE B

FINISH

GALVANIZED TO ASTM A123
OR ASTM A153

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
3	ER-DRAWN IN INVENTOR	12-30-09	LK	EP

DRN BY:
JD
DRN DATE:
12/02/1985
CHK BY:

CHK DATE:

FAFL**DOSSERT®**

PIPE, STRUT ASSEMBLY

REV
3

SP-L, SSA-L SERIES

1 OF 1


THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO

B-7794

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

**MECHANICAL RATING**

WORKING LOAD: 5,200 LBS

PROOF LOAD: 13,000 LBS

ULTIMATE LOAD: 26,000 LBS

FACTOR OF SAFETY: 2.5

MATERIAL

GALVANIZED FORGED STEEL

CLEVIS PIN - H.S. GALVANIZED STEEL

COTTER PIN - STAINLESS STEEL

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
5	REDRAWN IN INVENTOR	5-6-10	NF	EP

DRN BY:
VC
DRN DATE:
10-22-90
CHK BY:
JS
CHK DATE:
10-22-90

AFL**DOSSERT®**

TURNBUCKLE, CLEVIS JAW TO EYE

REV
5

TBC10-32055

1 OF 1