





ITEM NO

DWG NO

D-6326

3/8 DIA RETAINER STUDS
(LOCKED AND SEALED
WITH LOCTITE #271)



INT. PLASTIC PLUG
(ISC-SERIES)

STEADY ARM

CATALOG #	I.P.S.	O.D.	A
CCH75-38-C	3/4	1.050	1 1/2
CCH100-38-C	1	1.315	1 1/2
CCH125-38-C	1 1/4	1.660	2 7/16
CCH150-38-C	1 1/2	1.900	2 7/16
CCH200-38-C	2	2.375	2 7/8

MATERIAL

ALUMINUM BRONZE ASTM B30

T.S. (MIN) 75,000 PSI

Y.S. (MIN) 30,000 PSI

BOLTS, NUTS, AND L.WASHERS

SILICON BRONZE

CLEVIS PIN-GALV STEEL

COTTER KEY-ST. STEEL

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
4	RE-DRAWN IN INVENTOR	11-13-09	BH	EP

DRN BY:
IP
DRN DATE:
1-30-86
CHK BY:
JS
CHK DATE:
1-30-86

FAFL

DOSSERT®

FITTING, STEADY ARM, CW CLAMP HOLDER

REV
4




CCH-38-C-SERIES

1 OF 1

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO

**MATERIAL**

SCH 40 STEEL PIPE ASTM A106
GALVANIZED TO ASTM A123/A153

10 LB

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
NF
DRN DATE:
5-5-10
CHK BY:
EP
CHK DATE:
5-5-10

FAFL**DOSSERT®**

STEADY ARM WITH CW CLAMP

REV
0

CSA100-433-F-TCDS


1 OF 1

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO


DWG NO

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



RETAINING HOLES FOR CW CLAMP

INTERNAL PLASTIC SEAL
PLUG (BOTH ENDS)
(ISC125E)



DETAIL A

MATERIAL

1 1/4 IPS SCH 80
STEEL PIPE ASTM A106
GALVANIZED TO ASTM A153

13 LB

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
NF
DRN DATE:
5-3-10
CHK BY:
EP
CHK DATE:
5-3-10

FAFL

DOSSERT®

STEADY ARM, 1 1/4" SCH 80

REV
0


CSA125E-433

1 OF 1

ITEM NO


DWG NO

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



RETAINING HOLES FOR CW CLAMP

INTERNAL PLASTIC SEAL
PLUG (BOTH ENDS)
(ISC125E)



DETAIL A

16 LB

MATERIAL

1 1/4 IPS SCH 80

STEEL PIPE ASTM A106

GALVANIZED TO ASTM A153

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR

DRN BY:
NF
DRN DATE:
5-20-10
CHK BY:
EP
CHK DATE:
5-20-10

F AFL**DOSSERT®**

STEADY ARM, 1 1/4" SCH 80

REV
0


CSA125E-533

1 OF 1

ITEM NO

DWG NO
D-6589

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.



0.8 LB

MATERIAL
ALUMINUM BRONZE ASTM B30
TORQUE STUD TO 45 FT-LBS

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
3	REDRAWN IN INVENTOR	5-20-10	NF	EP

DRN BY:
IP
DRN DATE:
7-1-87
CHK BY:
JS
CHK DATE:
7-1-87

FAFL**DOSSERT®**

AUXILIARY TROLLEY WIRE CLIP

REV
3

POT2C-34T-0

1 OF 1

ITEM NO

DWG NO
D-6595RETAINING PIN
Ø1/8 ST STL

1/2

Ø9/16

(TPA75-1-63-15)

1 1/16

4/0 AUXILIARY
TROLLEY WIRE

1 3/4

1/2

2

STUD, 5/8-18NF, ST STL
(SCAT-63-SS)

7/8

4/0 GROOVED TROLLEY WIRE

1 1/2

MATERIALALUMINUM BRONZE ASTM B30
TORQUE STUD TO 45 FT-LBS

0.8 LB

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
2	REDRAWN IN INVENTOR	5-19-10	NF	EP

 DRN BY:
AJ
 DRN DATE:
7-17-87
 CHK BY:
JS
 CHK DATE:
7-20-87
FAFL**DOSSERT®**

AUXILIARY TROLLEY WIRE CLIP

REV
2

POT2C-34T-01


1 OF 1

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO

B-7964A

PIPE SIZE:

2" S.P.S.- SCH #40 OR #80 -2.375 O.D.

MIN ULTIMATE STRENGTH LOAD:

F1 =1,146 LBS

F2 =1,182 LBS

NOTE:

ALL DIMENSIONS CONFORM TO BBC-MEC
DWG NO B3411-01 EXCEPT AS
INDICATED BY *

MATERIAL:

ALUMINUM BRONZE ASTM B30

U-BOLTS, NUTS AND L. WASHERS

- SILICON BRONZE

PIVOT BOLT, NUT, FLAT WASHER AND L.

WASHER - GALVANIZED STEEL

7.93 LBS

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
2	RE-DRAWN IN INVENTOR	3-2-10	LK	EP

DRN BY:
ET
DRN DATE:
3-25-95
CHK BY:
EK
CHK DATE:
3-25-95

FAFL**DOSSERT®**

ATTACHMENT, STEADY ARM

REV
2

SAA200-11-H


1 OF 1

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO

B-7964

PIPE SIZE:

2" S.P.S.- SCH #40 OR #80 -2.375 O.D.

MIN ULTIMATE STRENGTH LOAD:

F1 =1,146 LBS

F2 =1,182 LBS

NOTE:

ALL DIMENSIONS CONFORM TO BBC-MEC
 DWG NO B3411-01 EXCEPT AS
 INDICATED BY *

MATERIAL:

ALUMINUM BRONZE ASTM B30

U-BOLTS, NUTS AND L. WASHERS
 - SILICON BRONZE

PIVOT BOLT, NUT, FLAT WASHER AND L.
 WASHER - GALVANIZED STEEL.

9.34 LBS

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
2	RE-DRAWN IN INVENTOR	3-2-10	LK	EP

DRN BY:
ET
 DRN DATE:
3-25-95
 CHK BY:
EK
 CHK DATE:
3-25-95

FAFL**DOSSERT®**

ATTACHMENT, STEADY ARM

REV
2

SAA200-15-H

1 OF 1



THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.

ITEM NO

DWG NO


D-6325

THIS DRAWING AND ALL INFORMATION ON IT IS THE PROPERTY OF AFL. IT IS CONFIDENTIAL AND IT IS GIVEN TO YOU FOR A LIMITED PURPOSE AND MUST BE RETURNED UPON REQUEST. NEITHER THIS DRAWING OR ANY PART OF IT NOR ANY INFORMATION CONCERNING IT MAY BE COPIED, EXHIBITED, OR FURNISHED TO OTHERS NOR PHOTOGRAPHS TAKEN OF ANY ARTICLE FABRICATED OR ASSEMBLED FROM THE DRAWING WITHOUT THE CONSENT OF AFL.




3/8 DIA RETAINER STUDS
(LOCKED AND SEALED
WITH LOCTITE #271)

3/8-16



SECTION A-A



CATALOG #	I.P.S.	O.D.	B	L
SAEF75	3/4	1.050	1 3/8	3 1/2
SAEF100	1	1.315	1 3/8	3 1/2
SAEF125	1 1/4	1.660	1 3/4	3 3/4
SAEF150	1 1/2	1.900	1 7/8	3 7/8

MATERIAL

ALUMINUM BRONZE ASTM B30
T.S. (MIN) 75,000 PSI
Y.S. (MIN) 30,000 PSI
BOLTS, NUTS, AND L.WASHERS
SILICON BRONZE

SCALE 1 / 2

LOCATION

CONTRACT NO

CUST / CONTR

REVISIONS

REV	DESCRIPTION	DATE	BY	APR
4	RE-DRAWN IN INVENTOR	10-6-09	BH	EP

DRN BY:
CG
DRN DATE:
1-29-86
CHK BY:
JS
CHK DATE:
1-30-86

FAFL

DOSSERT®

FITTING, STEADY ARM END

REV
4

SAEF-SERIES

1 OF 1