# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012. Issue date: 6/16/2017 Revision date: 6/22/2022 Version: 2.0

#### **SECTION 1: Identification**

#### 1.1. Identification

Product form : Mixture

Product name : AFL ALNOX Electrical Joint Compound

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Corrosion inhibitor

#### 1.3. Supplier

#### Supplier

AFL TELECOMMUNICATIONS LLC 170 RIDGEVIEW CIRCLE DUNCAN, SC 29334 USA T 864-433-0333 WWW.AFLGLOBAL.COM

#### Distributor

Add the name, address and tel. number of the US manufacturer or importer who operates in the US

#### 1.4. Emergency telephone number

Emergency number : CHEMTREC: 800-424-9300

# **SECTION 2: Hazard(s) identification**

#### 2.1. Classification of the substance or mixture

#### **GHS US classification**

Skin Sens. 1 Carc. 2 STOT RE 1 May cause an allergic skin reaction Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure

#### 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : May cause an allergic skin reaction Suspected of causing cancer

Causes damage to organs through prolonged or repeated exposure

Precautionary statements (GHS US) : Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.

If exposed or concerned: Get medical advice/attention.

If on skin: Wash with plenty of water. Wash contaminated clothing before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Store locked up.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

#### 2.3. Other hazards which do not result in classification

No additional information available

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Distillates, petroleum, hydrotreated heavy naphthenic	CAS-No.: 64742-52-5	30 – 60
Nickel	CAS-No.: 7440-02-0	10 - 30
Aluminum	CAS-No.: 7429-90-5	10 - 30

<sup>\*</sup>Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Not a normal route of exposure. If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of Water. Take off contaminated clothing and wash it before

reuse. If skin irritation or rash occurs: Get medical advice/attention.

: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present First-aid measures after eye contact

and easy to do. Continue rinsing. This compound contains abrasive particles. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion

: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Not a normal route of exposure. May cause irritation to the respiratory tract.

Symptoms/effects after skin contact May cause skin irritation. Symptoms may include redness, drying, and cracking of the skin. May

cause an allergic skin reaction.

Symptoms/effects after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and

diarrhea

Chronic symptoms Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure.

#### 4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

6/22/2022 (Revision date) EN (English US) 2/9

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Dry chemical. Foam. Carbon dioxide.

Unsuitable extinguishing media : Do not use water jet.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Products of combustion may include, and are not limited to: oxides of carbon.

#### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA).

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to

unnecessary and unprotected personnel.

#### 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable

container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal

Protective Equipment (PPE).

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal. Spilled material may present a

slipping hazard. Provide ventilation.

#### 6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection".

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid contact with skin and eyes. Do not breathe

dust/fume/gas/mist/vapors/spray. Do not swallow. Do not eat, drink or smoke when using this

product. Handle and open container with care.

Hygiene measures : Wash contaminated clothing before reuse. Wash hands, forearms and face thoroughly after

handling. Contaminated work clothing should not be allowed out of the workplace.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of the reach of children. Keep container tightly closed, dry and in a well-ventilated

place. Store locked up.

6/22/2022 (Revision date) EN (English US) 3/9

## Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **AFL ALNOX Electrical Joint Compound**

No additional information available

#### Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)

No additional information available

#### Nickel (7440-02-0)

#### **USA - ACGIH - Occupational Exposure Limits**

ACGIH OEL TWA	1.5 mg/m³ (inhalable particulate matter)
ACGIH chemical category	Not Suspected as a Human Carcinogen

#### **USA - ACGIH - Biological Exposure Indices**

BEI (BLV)	5 μg/l Parameter: Nickel - Medium: urine - Sampling time: post-shift at end of workweek
	(background)

#### **USA - OSHA - Occupational Exposure Limits**

OSHA PEL (TWA) [1]	1 mg/m³
--------------------	---------

#### Aluminum (7429-90-5)

ACGIH OEL TWA

#### **USA - ACGIH - Occupational Exposure Limits**

ACGIH chemical category	Not Classifiable as a Human Carcinogen
USA - OSHA - Occupational Exposure Limits	
OSHA PEL (TWA) [1]	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)

1 mg/m³ (respirable particulate matter)

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Wear suitable gloves resistant to chemical penetration

#### Eye protection:

Safety glasses or goggles are recommended when using product.

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

None necessary under normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

#### Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Paste / Thick grease.

Color : Gray
Odor : Mild.

Odor threshold : No data available pH : No data available Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Flash point : 184 °C / 363 °F Relative evaporation rate (butyl acetate=1) : No data available

Vapor pressure :  $< 0.01 \text{ mm Hg} (20 \,^{\circ}\text{C} / 68 \,^{\circ}\text{F})$ 

Not flammable.

Relative vapor density at 20 °C : No data available

Relative density Solubility Negligible. : No data available Partition coefficient n-octanol/water Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic No data available **Explosion limits** No data available Explosive properties No data available Oxidizing properties No data available

#### 9.2. Other information

Flammability

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No dangerous reactions known under normal conditions of use.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

Heat. Incompatible materials.

#### 10.5. Incompatible materials

Oxidizing materials.

#### 10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

# Safety Data Sheet

STOT-repeated exposure

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity (dermal) :	Not classified Not classified Not classified	
Distillates, petroleum, hydrotreated heavy nap	phthenic (64742-52-5)	
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Nickel (7440-02-0)		
LD50 oral rat	> 9000 mg/kg	
LC50 inhalation rat	> 10.2 mg/l (Exposure time: 1 h)	
Aluminum (7429-90-5)		
LD50 oral rat	> 15900 mg/kg body weight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LC50 inhalation rat	> 0.888 mg/l air Animal: rat, Animal sex: male, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Remarks on results: other:	
Serious eye damage/irritation : Respiratory or skin sensitization : Germ cell mutagenicity :	Not classified Not classified May cause an allergic skin reaction. Not classified Suspected of causing cancer.	
Nickel (7440-02-0)		
IARC group	2B - Possibly carcinogenic to humans	
National Toxicology Program (NTP) Status	Reasonably anticipated to be Human Carcinogen	
In OSHA Hazard Communication Carcinogen list	Yes	
Reproductive toxicity :	Not classified	
Aluminum (7429-90-5)		
NOAEL (animal/male, F0/P)	1000 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)	
0 1	Not classified Causes damage to organs through prolonged or repeated exposure.	
Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)		
LOAEL (oral,rat,90 days)	125 mg/kg body weight Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)	
NOAEL (dermal,rat/rabbit,90 days)	≈ 1000 mg/kg body weight Animal: rabbit, Guideline: OECD Guideline 410 (Repeated Dose Dermal Toxicity: 21/28-Day Study)	
Nickel (7440-02-0)		
LOAEC (inhalation,rat,dust/mist/fume,90 days)	0.004 mg/l air Animal: rat, Guideline: OECD Guideline 412 (Subacute Inhalation Toxicity: 28- Day Study)	

Causes damage to organs through prolonged or repeated exposure.

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Aluminum (7429-90-5)	
LOAEC (inhalation,rat,dust/mist/fume,90 days)	0.05 mg/l air Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (subchronic,oral,animal/male,90 days)	1034 mg/kg body weight Animal: dog, Animal sex: male, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
NOAEL (subchronic,oral,animal/female,90 days)	1087 mg/kg body weight Animal: dog, Animal sex: female, Guideline: OECD Guideline 409 (Repeated Dose 90-Day Oral Toxicity Study in Non-Rodents)
Aspiration hazard	: Not classified.
Viscosity, kinematic	: No data available
Symptoms/effects after inhalation	: Not a normal route of exposure. May cause irritation to the respiratory tract.
Symptoms/effects after skin contact	: May cause skin irritation. Symptoms may include redness, drying, and cracking of the skin. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with possible redness and swelling.
Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.
Chronic symptoms	: Suspected of causing cancer. Causes damage to organs through prolonged or repeated exposure.
Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

# SECTION 12: Ecological information

# 12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)	
LC50 - Fish [1]	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
Nickel (7440-02-0)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC50 - Fish [2]	1.3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 - Crustacea [2]	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

# 12.2. Persistence and degradability

AFL ALNOX Electrical Joint Compound	
Persistence and degradability	Not established.

# 12.3. Bioaccumulative potential

AFL ALNOX Electrical Joint Compound	
Bioaccumulative potential	Not established.

# 12.4. Mobility in soil

No additional information available

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### 12.5. Other adverse effects

Other information : No other effects known.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Product/Packaging disposal recommendations

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

# **SECTION 14: Transport information**

In accordance with DOT

#### 14.1. UN number

Not regulated for transport

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable

#### 14.3. Transport hazard class(es)

#### DOT

Transport hazard class(es) (DOT) : Not applicable

#### 14.4. Packing group

Packing group (DOT) : Not applicable

#### 14.5. Environmental hazards

Other information : No supplementary information available.

#### 14.6. Special precautions for user

Special transport precautions : Do not handle until all safety precautions have been read and understood.

#### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

# 15.2. International regulations

No additional information available

# Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

#### 15.3. US State regulations

**⚠** WARNING:

This product can expose you to Nickel, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### **SECTION 16: Other information**

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012.

Issue date : 06/16/2017
Revision date : 06/22/2022
Other information : None.

Prepared by : Nexreg Compliance Inc.

www.Nexreg.com



Full text of H-phrases		
Carc. 2	Carc. 2 Carcinogenicity Category 2	
Skin Sens. 1	. 1 Skin sensitization, Category 1	
STOT RE 1 Specific target organ toxicity (repeated exposure) Category 1		

# Indication of changes: SDS update.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

6/22/2022 (Revision date) EN (English US) 9/9