

DOSSERT® TYPE APTV-N-V-AA

Terminal Connector

Expands one NEMA pad to two NEMA pads. Designed for 500 kV service. Useful for connecting twin lines.

Material

Aluminum Alloy

Notes

- For hardware shield, add "-CSBV" to catalog number order: APTV4N4-18-V-AA-CSBV.
- For mounting hardware, add "-TMH" and bolt length to catalog number order: APTV4N4-18-V-AA-TMH2-1/4






FIG 1




FIG 2

Ordering Information

CATALOG NUMBER	FIGURE NUMBER		DIMENSIONS IN INCHES	
	SIDE 1	SIDE 2	A	B
APTV-4N4-6-V-AA	1	1	6	15
APTV-4N4-8-V-AA	1	1	8	15
APTV-4N4-10-V-AA	1	1	10	15
APTV-4N4-12-V-AA	1	1	12	15
APTV-4N4-6N4-8-V-AA	1	2	8	15.66
APTV-4N4-6N4-12-V-AA	1	2	12	15.63
APTV-4N4-14-V-AA	1	1	14	15
APTV-4N4-16-V-AA	1	1	16	15
APTV-4N4-18-V-AA	1	1	18	15

DOSSERT® TYPE APT-V-AA

Terminal Connector





Expands one NEMA pad to two NEMA pads. Designed for 500 kV service. Useful for connecting twin lines.

Material

Aluminum Alloy

Notes

- For Mounting Hardware, add "-TMH" to catalog number. EX: APT6N4-18-V-AA-TMH
- For Hardware Shield, add "-CSBV" to catalog number. EX: APT6N4-18-V-AA-CSBV
- For Stainless Steel bolts, lockwashers and Everdur nuts, add "-SSHBN" to catalog number. EX: APT6N4-18-V-AA-SSHBN



Ordering Information

CATALOG NUMBER	FIGURE NUMBER		SECTION A-A	DIMENSIONS IN INCHES	
	SIDE 1	SIDE 2		A	B
APT2N4-8-V-AA	1	2	—	8.00	15.13
APT4N4-8-V-AA	2	2	—	8.00	15.13
APT4N4-12-V-AA	2	2	—	12.00	19.13
APT4N4-18-V-AA	2	2	—	18.00	25.13
APT4N4-6N4-8-V-AA	2	3	ALTERNATE	8.00	15.13
APT4N4-6N4-12-V-AA	2	3	—	12.00	19.13
APT4N4-6N4-18-V-AA	2	3	ALTERNATE	18.00	25.13
APT6N4-18-V-AA	3	3	—	18.00	27.13

DOSSERT® TYPE TWTCC-N-8-V-AA

Three-Way Terminal Connector


Connects one four-hole or six-hole terminal to three four-hole terminals. 3600 amps at 30° rise over 40° ambient; 3848 amps at 40° rise over 40° ambient; 4082 amps at 50° rise over 40° ambient. Designed for 500 kV service.

Material




Aluminum Alloy

Ordering Information


Customer to order by catalog number TWTCC4N4-8-V-AA, TWTCC4N6-8-V-AA, or TWTCC6N4-8-V-AA.



TWTCC4N4-8-V-AA



TWTCC4N6-8-V-AA



TWTCC6N4-8-V-AA