OPGW Double Dead End Wood Pole/H-Frame Configuration Assemblies



AFL NO.



Bill of Material

Item	Description	Material	AFL or Dwg. No.	Req'd	Remarks
1	Socket Eye	Galvanized Steel	SE-BDE	2	
2	Y-Clevis Ball Hot Link	Galvanized Steel	YCBHL	2	Pin Dia. = 0.75" (19 mm)
3	3/4" Shoulder Eye Bolt	Galvanized Steel	SEB-3/4-14	2	Length = $14"$
4	3/4" Washer Nut	Galvanized Steel	WN-3/4	2	
5	3/4" MF Lock Nut	Galvanized Steel	LN-3/4	2	
6	Bolted Deadend (Included)	Aluminum	Determined by AFL	2	



AFL NO. OWPDD2 - DNOXXXX Assembly Code Cable Spec. Number

FAFL

Bill of Material

Item	Description	Material	AFL or Dwg. No.	Req'd	Remarks
1	Link Plate	Aluminum	ODELP10	2	
2	Y-Clevis Clevis	Galvanized Steel	YCC	2	Pin Dia. = 0.75" (19 mm)
3	3/4" Shoulder Eye Bolt	Galvanized Steel	SEB-3/4-14	2	
4	3/4" Washer Nut	Galvanized Steel	WN-3/4	2	
5	3/4" MF Lock Nut	Galvanized Steel	LN-3/4	2	
6	Bolted Deadend (Included)	Aluminum	Determined by AFL	2	

continued

AFLglobal.com

1 (800) 890-8878



OPGW Double Dead End Wood Pole/H-Frame Configuration Assemblies (cont.)



AFL NO.



Bill of Material

Description	Material	AFL or Dwg. No.	Req'd	Remarks
Socket Eye	Galvanized Steel	SE-BDE	2	
-Clevis Ball Hot Link	Galvanized Steel	YCBHL	2	Pin Dia. = 0.75" (19 mm)
Eye Plate	Galvanized Steel	EP1	2	
3/4" Lock Washer Nut	Galvanized Steel	LW-3/4	4	
3/4" Nut	Galvanized Steel	HN-3/4	4	
3/4" Flat Washer	Galvanized Steel	FW -3/4	4	
3/4" Through Bolt	Galvanized Steel	TB-3/4-14	4	Length = 14"
Bolted Deadend (Included)	Aluminum	Determined by AFL	2	
7- 2) 3) 3) 3)	ocket Eye Clevis Ball Hot Link ye Plate /4" Lock Washer Nut /4" Nut /4" Flat Washer /4" Through Bolt	ocket EyeGalvanized SteelClevis Ball Hot LinkGalvanized Steelye PlateGalvanized Steel(4" Lock Washer NutGalvanized Steel(4" NutGalvanized Steel(4" Flat WasherGalvanized Steel(4" Through BoltGalvanized Steel	bocket EyeGalvanized SteelSE-BDEClevis Ball Hot LinkGalvanized SteelYCBHLye PlateGalvanized SteelEP1/4" Lock Washer NutGalvanized SteelLW-3/4/4" NutGalvanized SteelHN-3/4/4" Flat WasherGalvanized SteelFW -3/4/4" Through BoltGalvanized SteelTB-3/4-14	Ocket EyeGalvanized SteelSE-BDE2Clevis Ball Hot LinkGalvanized SteelYCBHL2ye PlateGalvanized SteelEP12/4" Lock Washer NutGalvanized SteelLW-3/44/4" NutGalvanized SteelHN-3/44/4" Flat WasherGalvanized SteelFW -3/44/4" Through BoltGalvanized SteelTB-3/4-144



AFL NO.



Bill of Material

Item	Description	Material	AFL or Dwg. No.	Req'd	Remarks
1	Link Plate	Aluminum	ODELP10	2	
2	Y-Clevis Clevis	Galvanized Steel	YCC	2	Pin Dia. = 0.75" (19 mm)
3	3/4" Through Bolt	Galvanized Steel	TB-3/4-14	4	Length = $14"$
4	3/4" Flat Washer	Galvanized Steel	FN-3/4	4	
5	3/4" Nut	Galvanized Steel	HN-3/4	4	
6	3/4" Lock Washer	Galvanized Steel	LW-3/4	4	
7	Eye Plate	Galvanized Steel	EP1	2	
8	Bolted Deadend (Included)	Aluminum	Determined by AFL	2	

continued

AFLglobal.com

1 (800) 890-8878

OPGW Double Dead End Wood Pole/H-Frame Configuration Assemblies (cont.)



AFL NO.



Bill of Material

Item	Description	Material	AFL or Dwg. No.	Req'd	Remarks
1	Link Plate	Aluminum	ODELP10	2	
2	Y-Clevis Clevis 90°	Galvanized Steel	YCC-90	2	Pin Dia. = 0.75" (19 mm)
3	3/4" Through Bolt	Galvanized Steel	TB-3/4-14	4	Length = $14"$
4	3/4" Flat Washer	Galvanized Steel	FN-3/4	4	
5	3/4" Nut	Galvanized Steel	HN-3/4	4	
6	3/4" Lock Washer	Galvanized Steel	LW-3/4	4	
7	Eye Plate	Galvanized Steel	EP1	2	
8	Bolted Deadend (Included)	Aluminum	Determined by AFL	2	

© 2008, AFL, all rights reserved. PP-3-00046, Revision 3, 3.6.2025 Specifications are subject to change without notice.

